
REFRIBIER DOUBLE EVAPORATEUR - DAV EQUIPMENTS

2 Tirages

D3015



FABRICATION FRANÇAISE

[et_pb_section fb_built="1" _builder_version="4.16" custom_padding="0px||||false|false" da_disable_devices="off|off|off" global_colors_info="{}" da_is_popup="off" da_exit_intent="off" da_has_close="on" da_alt_close="off" da_dark_close="off" da_not_modal="on" da_is_singular="off" da_with_loader="off" da_has_shadow="on"][et_pb_row _builder_version="4.16" background_size="initial" background_position="top_left" background_repeat="repeat" width="100%" custom_padding="0px||0px||false|false" global_colors_info="{}"][et_pb_column type="4_4" _builder_version="4.16" custom_padding="|||" global_colors_info="{}" custom_padding__hover="|||"][et_pb_wc_breadcrumb _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_breadcrumb][et_pb_wc_cart_notice _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_cart_notice][/et_pb_column][/et_pb_row][et_pb_row column_structure="1_2,1_2" _builder_version="4.16" background_size="initial" background_position="top_left" background_repeat="repeat" width="100%" custom_padding="0px||||false|false" global_colors_info="{}"][et_pb_column type="1_2" _builder_version="4.16" custom_padding="|||" global_colors_info="{}" custom_padding__hover="|||"][et_pb_wc_images _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_images][/et_pb_column][et_pb_column type="1_2" _builder_version="4.16" custom_padding="|||" global_colors_info="{}" custom_padding__hover="|||"][et_pb_wc_title _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_title][et_pb_wc_rating _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_rating][et_pb_wc_price _builder_version="4.16"

global_colors_info="{}"][/et_pb_wc_price][et_pb_wc_description _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_description][et_pb_wc_add_to_cart _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_add_to_cart][et_pb_wc_meta _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_meta][/et_pb_column][/et_pb_row][et_pb_row _builder_version="4.16" background_size="initial" background_position="top_left" background_repeat="repeat" width="100%" global_colors_info="{}"][et_pb_column type="4_4" _builder_version="4.16" custom_padding="|||" global_colors_info="{}" custom_padding__hover="|||"][et_pb_wc_tabs _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_tabs][et_pb_wc_upsells _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_upsells][et_pb_wc_related_products _builder_version="4.16" global_colors_info="{}"][/et_pb_wc_related_products][/et_pb_column][/et_pb_row][/et_pb_section]

Caractéristiques Techniques

NOMBRE DE TIRAGE MAX.	2T
DEBIT HORAIRE (ΔT 15) L/H	295
PUISSANCE COMPRESSEUR (CV)	3/4
POIDS (KG)	90
CAPACITE DE LA CUVE (L)	85
POIDS DU BANC DE GLACE (KG)	40
DIMENSIONS (MM)	L.581 x p.538 x h.1232
THERMOSTAT (TEMPÉRATURE DE LA RÉSERVE FROID)	mécanique
LONGUEUR MAX SERPENTINS (M)	2 x 30
FLUIDE FRIGORIGENE	R134A
EVAPORATEUR	cuivre
MATIERE CUVE	Polystyrène Choc
MATIERE MOUSSE ISOLATION	Polyuréthane
PRISE DE TERRE	Obligatoire
PUISSANCE MAX	918

Pour découvrir davantage d'informations sur ce produit, scannez ce QR code.